

# Package ‘broom.mixed’

July 7, 2021

**Type** Package

**Title** Tidying Methods for Mixed Models

**Version** 0.2.7

**Maintainer** Ben Bolker <bolker@mcmaster.ca>

**Description** Convert fitted objects from various R mixed-model packages into tidy data frames along the lines of the 'broom' package.

The package provides three

S3 generics for each model: tidy(), which summarizes a model's statistical findings such as coefficients of a regression; augment(), which adds columns to the original data such as predictions, residuals and cluster assignments; and glance(), which provides a one-row summary of model-level statistics.

**Imports** broom, coda, dplyr, methods, nlme, purrr, stringr, tibble, tidy

**Suggests** brms, dotwhisker, knitr, testthat, gamlss, gamlss.data, ggplot2, GLMMadaptive, glmmADMB, glmmTMB, lmerTest, lme4, Matrix, MCMCglmm, mgcv, pander, pbkrtest, rstan, rstanarm, R2jags, TMB, rmarkdown

**URL** <https://github.com/bbolker/broom.mixed>

**BugReports** <https://github.com/bbolker/broom.mixed/issues>

**License** GPL-3

**RoxygenNote** 7.1.1

**Encoding** UTF-8

**Additional\_repositories** <http://bbolker.github.io/drat>

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Ben Bolker [aut, cre] (<<https://orcid.org/0000-0002-2127-0443>>),  
David Robinson [aut],  
Dieter Menne [ctb],  
Jonah Gabry [ctb],  
Paul Buerkner [ctb],

Christopher Hua [ctb],  
 William Petry [ctb] (<<https://orcid.org/0000-0002-5230-5987>>),  
 Joshua Wiley [ctb] (<<https://orcid.org/0000-0002-0271-6702>>),  
 Patrick Kennedy [ctb],  
 Eduard Szöcs [ctb] (<<https://orcid.org/0000-0001-5376-1194>>, BASF SE),  
 Indrajeet Patil [ctb],  
 Vincent Arel-Bundock [ctb] (<<https://orcid.org/0000-0003-2042-7063>>)

**Repository** CRAN

**Date/Publication** 2021-07-07 15:20:02 UTC

## R topics documented:

augment.ranef.mer . . . . .	2
brms_tidiers . . . . .	3
compact . . . . .	6
fixef.MCMCglmm . . . . .	6
gamlss_tidiers . . . . .	7
glmmadmb_tidiers . . . . .	8
glmmTMB_tidiers . . . . .	11
insert_NAs . . . . .	14
lme4_tidiers . . . . .	15
nlme_tidiers . . . . .	18
ranef.MCMCglmm . . . . .	21
ranefLevels . . . . .	22
rstanarm_tidiers . . . . .	23
stdranef . . . . .	25
tidy.MCMCglmm . . . . .	27
tidy.TMB . . . . .	30
unrowname . . . . .	31
<b>Index</b>	<b>32</b>

---

augment.ranef.mer	<i>Augmentation for random effects (for caterpillar plots etc.)</i>
-------------------	---

---

### Description

Augmentation for random effects (for caterpillar plots etc.)

### Usage

```
## S3 method for class 'ranef.mer'
augment(x, ci.level = 0.9, reorder = TRUE, order.var = 1, ...)
```

**Arguments**

<code>x</code>	ranef (conditional mode) information from an lme4 fit, using <code>ranef(. , condVar=TRUE)</code>
<code>ci.level</code>	level for confidence intervals
<code>reorder</code>	reorder levels by conditional mode values?
<code>order.var</code>	numeric or character: which variable to use for ordering levels?
<code>...</code>	additional arguments (unused: for generic consistency)

**Examples**

```

if (require("lme4")) {
  load(system.file("extdata", "lme4_example.rda", package="broom.mixed"))
  rr <- ranef(lmm1, condVar=TRUE)
  aa <- broom::augment(rr)
  ## Q-Q plot:
  if (require(ggplot2) && require(dplyr)) {
    g0 <- ggplot(aa, aes(estimate, qq, xmin=lb, xmax=ub))+
      geom_errorbarh(height=0)+
      geom_point()+facet_wrap(~variable, scale="free_x")
    ## regular caterpillar plot:
    g1 <- ggplot(aa, aes(estimate, level, xmin=lb, xmax=ub))+
      geom_errorbarh(height=0)+
      geom_vline(xintercept=0, lty=2)+
      geom_point()+facet_wrap(~variable, scale="free_x")
    ## emphasize extreme values
    aa2 <- group_by(aa, grp, level)
    aa3 <- mutate(aa2, keep=any(estimate/std.error>2))
    ## Update caterpillar plot with extreme levels highlighted
    ## (highlight all groups with *either* extreme intercept *or*
    ## extreme slope)
    ggplot(aa3, aes(estimate, level, xmin=lb, xmax=ub, colour=factor(keep)))+
      geom_errorbarh(height=0)+
      geom_vline(xintercept=0, lty=2)+
      geom_point()+facet_wrap(~variable, scale="free_x")+
      scale_colour_manual(values=c("black", "red"), guide=FALSE)
  }
}

```

**Description**

These methods tidy the estimates from [brmsfit-objects](#) (fitted model objects from the **brms** package) into a summary.

**Usage**

```
## S3 method for class 'brmsfit'
tidy(
  x,
  parameters = NA,
  effects = c("fixed", "ran_pars"),
  robust = FALSE,
  conf.int = TRUE,
  conf.level = 0.95,
  conf.method = c("quantile", "HPDinterval"),
  fix.intercept = TRUE,
  ...
)

## S3 method for class 'brmsfit'
glance(x, looic = FALSE, ...)

## S3 method for class 'brmsfit'
augment(x, data = stats::model.frame(x), newdata = NULL, se.fit = TRUE, ...)
```

**Arguments**

x	Fitted model object from the <b>brms</b> package. See <a href="#">brmsfit-class</a> .
parameters	Names of parameters for which a summary should be returned, as given by a character vector or regular expressions. If NA (the default) summarized parameters are specified by the effects argument.
effects	A character vector including one or more of "fixed", "ran_vals", or "ran_pars". See the Value section for details.
robust	Whether to use median and median absolute deviation of the posterior distribution, rather than mean and standard deviation, to derive point estimates and uncertainty
conf.int	If TRUE columns for the lower (conf.low) and upper bounds (conf.high) of posterior uncertainty intervals are included.
conf.level	Defines the range of the posterior uncertainty conf.int, such that $100 * \text{conf.level}\%$ of the parameter's posterior distributio lies within the corresponding interval. Only used if conf.int = TRUE.
conf.method	method for computing confidence intervals ("quantile" or "HPDinterval")
fix.intercept	rename "Intercept" parameter to "(Intercept)", to match behaviour of other model types?
...	Extra arguments, not used
looic	Should the LOO Information Criterion (and related info) be included? See <a href="#">loo.stanfit</a> for details. (This can be slow for models fit to large datasets.)
data	data frame
newdata	new data frame
se.fit	return standard errors of fit?

**Value**

All tidying methods return a `data.frame` without rownames. The structure depends on the method chosen.

When `parameters = NA`, the `effects` argument is used to determine which parameters to summarize.

Generally, `tidy.brmsfit` returns one row for each coefficient, with at least three columns:

<code>term</code>	The name of the model parameter.
<code>estimate</code>	A point estimate of the coefficient (mean or median).
<code>std.error</code>	A standard error for the point estimate (sd or mad).

When `effects = "fixed"`, only population-level effects are returned.

When `effects = "ran_vals"`, only group-level effects are returned. In this case, two additional columns are added:

<code>group</code>	The name of the grouping factor.
<code>level</code>	The name of the level of the grouping factor.

Specifying `effects = "ran_pars"` selects the standard deviations and correlations of the group-level parameters.

If `conf.int = TRUE`, columns for the lower and upper bounds of the posterior `conf.int` computed.

**Note**

The names ‘fixed’, ‘ran\_pars’, and ‘ran\_vals’ (corresponding to "non-varying", "hierarchical", and "varying" respectively in previous versions of the package), while technically inappropriate in a Bayesian setting where "fixed" and "random" effects are not well-defined, are used for compatibility with other (frequentist) mixed model types.

At present, the components of parameter estimates are separated by parsing the column names of `posterior_samples` (e.g. `r_patient[1,Intercept]` for the random effect on the intercept for patient 1, or `b_Tr1` for the fixed effect `Tr1`). We try to detect underscores in parameter names and warn, but detection may be imperfect.

**See Also**

[brms](#), [brmsfit-class](#)

**Examples**

```
## original model
## Not run:
brms_crossedRE <- brm(mpg ~ wt + (1|cyl) + (1+wt|gear), data = mtcars,
  iter = 500, chains = 2)

## End(Not run)
if (.Platform$OS.type!="windows" && require("brms")) {
  ## too slow on Windows, skip (>5 seconds on r-devel-windows)
  ## load stored object
```

```

load(system.file("extdata", "brms_example.rda", package="broom.mixed"))

fit <- brms_crossedRE
tidy(fit)
tidy(fit, parameters = "^sd_", conf.int = FALSE)
tidy(fit, effects = "fixed", conf.method="HPDinterval")
tidy(fit, effects = "ran_vals")
tidy(fit, effects = "ran_pars", robust = TRUE)
# glance method
glance(fit)
## this example will give a warning that it should be run with
## reloo=TRUE; however, doing this will fail
## because the \code{fit} object has been stripped down to save space
suppressWarnings(glance(fit, looic = TRUE, cores = 1))
head(augment(fit))
}

```

---

compact	<i>Remove NULL items in a vector or list</i>
---------	--

---

### Description

Remove NULL items in a vector or list

### Usage

```
compact(x)
```

### Arguments

x	a vector or list
---	------------------

---

fixef.MCMCglmm	<i>Extract fixed effects from an MCMCglmm object</i>
----------------	--

---

### Description

Function designed to extract the fixed effects from an MCMCglmm model object. Can either extract all samples from the fixed effects posteriors or return the posterior means.

### Usage

```
## S3 method for class 'MCMCglmm'
fixef(object, use = c("all", "mean"), ...)
```

**Arguments**

object	An MCMCglmm model object to extract the effects from
use	A character string indicating whether to extract all posterior samples or the mean of the posteriors. Defaults to "all".
...	Arguments passed on to the worker function.

**Value**

A matrix of the fixed effects

**See Also**

[ranef.MCMCglmm](#)

**Examples**

```
## Not run:
# a simple MCMCglmm model
data(PlodiaPO)
m <- MCMCglmm(PO ~ 1, random= ~ FSfamily, data=PlodiaPO, verbose=FALSE)

# only extract average fixed effects
fixef(m, use = "mean")

# histogram of posterior samples of fixed effects
hist(fixef(m))
# matches the mean
rowMeans(fixef(m))

## End(Not run)
```

---

gamlss\_tidiers

*Tidying methods for gamlss objects*

---

**Description**

Tidying methods for "gamlss" objects from the gamlss package.

**Usage**

```
## S3 method for class 'gamlss'
tidy(x, quick = FALSE, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

x	A "gamlss" object
quick	Whether to perform a fast version, and return only the coefficients
conf.int	whether to return confidence intervals
conf.level	confidence level for CI
...	arguments passed to confint.gamlss

**Value**

All tidying methods return a data.frame without rownames, whose structure depends on the method chosen.

A tibble with one row for each coefficient, containing columns:

parameter	type of coefficient being estimated: mu, sigma, nu, or tau
term	term in the model being estimated and tested
estimate	estimated coefficient
std.error	standard error
statistic	t-statistic
p.value	two-sided p-value

**Examples**

```
if (requireNamespace("gamlss", quietly = TRUE) &&
    requireNamespace("gamlss.data", quietly = TRUE)) {
  data(abdom, package="gamlss.data")
  ## Not run:
  mod <- gamlss(y~pb(x), sigma.fo=~pb(x), family=BCT,
               data=abdom, method=mixed(1,20))

  ## End(Not run)
  ## load stored object
  mod <- readRDS(system.file("extdata", "gamlss_example.rds",
                             package="broom.mixed"))

  tidy(mod)
}
```

**Description**

These methods tidy the coefficients of glmmADMB models



**Usage**

```
## S3 method for class 'glmmadmb'
tidy(
  x,
  effects = c("fixed", "ran_pars"),
  component = "cond",
  scales = NULL,
  ran_prefix = NULL,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = "Wald",
  ...
)

## S3 method for class 'glmmadmb'
augment(x, data = stats::model.frame(x), newdata, ...)

## S3 method for class 'glmmadmb'
glance(x, ...)
```

**Arguments**

x	An object of class <code>glmmadmb</code> , <code>glmer</code> , or <code>nlmer</code>
effects	A character vector including one or more of "fixed" (fixed-effect parameters), "ran_pars" (variances and covariances or standard deviations and correlations of random effect terms) or "ran_vals" (conditional modes/BLUPs/latent variable estimates)
component	Which component(s) to report for (e.g., conditional, zero-inflation, dispersion: at present only works for "cond")
scales	scales on which to report the variables: for random effects, the choices are "sd-cor" (standard deviations and correlations: the default if scales is NULL) or "varcov" (variances and covariances). NA means no transformation, appropriate e.g. for fixed effects; inverse-link transformations (exponentiation or logistic) are not yet implemented, but may be in the future.
ran_prefix	a length-2 character vector specifying the strings to use as prefixes for self- (variance/standard deviation) and cross- (covariance/correlation) random effects terms
conf.int	whether to include a confidence interval
conf.level	confidence level for CI
conf.method	method for computing confidence intervals (see <a href="#">confint.merMod</a> )
...	extra arguments (not used)
data	original data this was fitted on; if not given this will attempt to be reconstructed
newdata	new data to be used for prediction; optional

**Details**

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with NA in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a second argument, at which point the augmented data will contain those rows (typically with NAs in place of the new columns). If the original data is not provided to augment and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

**Value**

All tidying methods return a `tbl_df` without rownames. The structure depends on the method chosen.

`tidy` returns one row for each estimated effect, either with groups depending on the effects parameter. It contains the columns

<code>group</code>	the group within which the random effect is being estimated: NA for fixed effects
<code>level</code>	level within group (NA except for modes)
<code>term</code>	term being estimated
<code>estimate</code>	estimated coefficient
<code>std.error</code>	standard error
<code>statistic</code>	t- or Z-statistic (NA for modes)
<code>p.value</code>	P-value computed from t-statistic (may be missing/NA)

`augment` returns one row for each original observation, with columns (each prepended by a `.`) added. Included are the columns

<code>.fitted</code>	predicted values
<code>.resid</code>	residuals
<code>.fixed</code>	predicted values with no random effects

Also added for "merMod" objects, but not for "mer" objects, are values from the response object within the model (of type `lmResp`, `glmResp`, `nlsResp`, etc). These include `".mu"`, `".offset"`, `".sqrtXwt"`, `".sqrtrwt"`, `".e`

`glance` returns one row with the columns

<code>sigma</code>	the square root of the estimated residual variance
<code>logLik</code>	the data's log-likelihood under the model
<code>AIC</code>	the Akaike Information Criterion
<code>BIC</code>	the Bayesian Information Criterion
<code>deviance</code>	deviance

**See Also**

[na.action](#)

**Examples**

```

if (require("glmmADMB") && require("lme4")) {
  ## original model
  ## Not run:
  data("sleepstudy", package="lme4")
  lmm1 <- glmmadmb(Reaction ~ Days + (Days | Subject), sleepstudy,
                 family="gaussian")

  ## End(Not run)
  ## load stored object
  load(system.file("extdata", "glmmADMB_example.rda", package="broom.mixed"))
  tidy(lmm1, effects = "fixed")
  tidy(lmm1, effects = "fixed", conf.int=TRUE)
  ## tidy(lmm1, effects = "fixed", conf.int=TRUE, conf.method="profile")
  ## tidy(lmm1, effects = "ran_vals", conf.int=TRUE)
  head(augment(lmm1, sleepstudy))
  glance(lmm1)

  glmm1 <- glmmadmb(cbind(incidence, size - incidence) ~ period + (1 | herd),
                  data = cbpp, family = "binomial")
  tidy(glmm1)
  tidy(glmm1, effects = "fixed")
  head(augment(glmm1, cbpp))
  glance(glmm1)
}

```

glmmTMB\_tidiers

*Tidying methods for glmmTMB models***Description**

These methods tidy the coefficients of mixed effects models, particularly responses of the merMod class

**Usage**

```

## S3 method for class 'glmmTMB'
tidy(
  x,
  effects = c("ran_pars", "fixed"),
  component = c("cond", "zi"),
  scales = NULL,
  ran_prefix = NULL,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = "Wald",
  exponentiate = FALSE,

```

```

    ...
  )

  ## S3 method for class 'glmmTMB'
  augment(x, data = stats::model.frame(x), newdata = NULL, ...)

  ## S3 method for class 'glmmTMB'
  glance(x, ...)

```

## Arguments

<code>x</code>	An object of class <code>merMod</code> , such as those from <code>lmer</code> , <code>glmer</code> , or <code>nlmer</code>
<code>effects</code>	A character vector including one or more of "fixed" (fixed-effect parameters), "ran_pars" (variances and covariances or standard deviations and correlations of random effect terms) or "ran_vals" (conditional modes/BLUPs/latent variable estimates)
<code>component</code>	which component to extract (e.g. <code>cond</code> for conditional effects (i.e., traditional fixed effects); <code>zi</code> for zero-inflation model; <code>disp</code> for dispersion model)
<code>scales</code>	scales on which to report the variables: for random effects, the choices are "sd-cor" (standard deviations and correlations: the default if <code>scales</code> is <code>NULL</code> ) or "varcov" (variances and covariances). <code>NA</code> means no transformation, appropriate e.g. for fixed effects; inverse-link transformations (exponentiation or logistic) are not yet implemented, but may be in the future.
<code>ran_prefix</code>	a length-2 character vector specifying the strings to use as prefixes for self- (variance/standard deviation) and cross- (covariance/correlation) random effects terms
<code>conf.int</code>	whether to include a confidence interval
<code>conf.level</code>	confidence level for CI
<code>conf.method</code>	method for computing confidence intervals (see <a href="#"><code>confint.merMod</code></a> )
<code>exponentiate</code>	whether to exponentiate the fixed-effect coefficient estimates and confidence intervals (common for logistic regression); if <code>TRUE</code> , also scales the standard errors by the exponentiated coefficient, transforming them to the new scale
<code>...</code>	extra arguments (not used)
<code>data</code>	original data this was fitted on; if not given this will attempt to be reconstructed
<code>newdata</code>	new data to be used for prediction; optional

## Details

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with `NA` in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a second argument, at which point the augmented data will contain those rows (typically with `NA`s in place of the new columns). If the original data is not provided to `augment` and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

**Value**

All tidying methods return a tibble. The structure depends on the method chosen.

`tidy` returns one row for each estimated effect, either with groups depending on the effects parameter. It contains the columns

<code>group</code>	the group within which the random effect is being estimated: NA for fixed effects
<code>level</code>	level within group (NA except for modes)
<code>term</code>	term being estimated
<code>estimate</code>	estimated coefficient
<code>std.error</code>	standard error
<code>statistic</code>	t- or Z-statistic (NA for modes)
<code>p.value</code>	P-value computed from t-statistic (may be missing/NA)

`augment` returns one row for each original observation, with columns (each prepended by a `.`) added. Included are the columns

<code>.fitted</code>	predicted values
<code>.resid</code>	residuals
<code>.fixed</code>	predicted values with no random effects

`glance` returns one row with the columns

<code>sigma</code>	the square root of the estimated residual variance
<code>logLik</code>	the data's log-likelihood under the model
<code>AIC</code>	the Akaike Information Criterion
<code>BIC</code>	the Bayesian Information Criterion
<code>deviance</code>	deviance

**Note**

zero-inflation parameters (including the intercept) are reported on the logit scale

**See Also**

[na.action](#)

**Examples**

```
if (require("glmmTMB") && require("lme4")) {
  data("sleepstudy", package="lme4")
  ## original model:
  ## Not run:
  lmm1 <- glmmTMB(Reaction ~ Days + (Days | Subject), sleepstudy)

  ## End(Not run)
  ## load stored object
  load(system.file("extdata", "glmmTMB_example.rda", package="broom.mixed"))
}
```

```

tidy(lmm1)
tidy(lmm1, effects = "fixed")
tidy(lmm1, effects = "fixed", conf.int=TRUE)
tidy(lmm1, effects = "fixed", conf.int=TRUE, conf.method="uniroot")
## FIX: tidy(lmm1, effects = "ran_vals", conf.int=TRUE)
head(augment(lmm1, sleepstudy))
glance(lmm1)

## original model:
## glmm1 <- glmmTMB(incidence/size ~ period + (1 | herd),
##                 data = cbpp, family = binomial, weights=size)
tidy(glmm1)
tidy(glmm1, effects = "fixed")
tidy(glmm1, effects = "fixed", exponentiate=TRUE)
tidy(glmm1, effects = "fixed", conf.int=TRUE, exponentiate=TRUE)
head(augment(glmm1, cbpp))
head(augment(glmm1, cbpp, type.residuals="pearson"))
glance(glmm1)
## Not run:
## profile CIs - a little bit slower but more accurate
tidy(glmm1, effects = "fixed", conf.int=TRUE, exponentiate=TRUE, conf.method="profile")

## End(Not run)
}

```

---

insert_NAs	<i>insert a row of NAs into a data frame wherever another data frame has NAs</i>
------------	--

---

## Description

insert a row of NAs into a data frame wherever another data frame has NAs

## Usage

```
insert_NAs(x, original)
```

## Arguments

x	data frame that has one row for each non-NA row in original
original	data frame with NAs

---

`lme4_tidiers`*Tidying methods for mixed effects models*

---

**Description**

These methods tidy the coefficients of mixed effects models, particularly responses of the `merMod` class

**Usage**

```
## S3 method for class 'merMod'
tidy(
  x,
  effects = c("ran_pars", "fixed"),
  scales = NULL,
  exponentiate = FALSE,
  ran_prefix = NULL,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = "Wald",
  ddf.method = NULL,
  profile = NULL,
  debug = FALSE,
  ...
)

## S3 method for class 'r1merMod'
tidy(
  x,
  effects = c("ran_pars", "fixed"),
  scales = NULL,
  exponentiate = FALSE,
  ran_prefix = NULL,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = "Wald",
  ddf.method = NULL,
  profile = NULL,
  debug = FALSE,
  ...
)

## S3 method for class 'merMod'
augment(x, data = stats::model.frame(x), newdata, ...)

## S3 method for class 'merMod'
glance(x, ...)
```

**Arguments**

<code>x</code>	An object of class <code>merMod</code> , such as those from <code>lmer</code> , <code>glmer</code> , or <code>nlmer</code>
<code>effects</code>	A character vector including one or more of "fixed" (fixed-effect parameters); "ran_pars" (variances and covariances or standard deviations and correlations of random effect terms); "ran_vals" (conditional modes/BLUPs/latent variable estimates); or "ran_coefs" (predicted parameter values for each group, as returned by <code>coef.merMod</code> )
<code>scales</code>	scales on which to report the variables: for random effects, the choices are "sd-cor" (standard deviations and correlations: the default if <code>scales</code> is <code>NULL</code> ) or "vcov" (variances and covariances). <code>NA</code> means no transformation, appropriate e.g. for fixed effects.
<code>exponentiate</code>	whether to exponentiate the fixed-effect coefficient estimates and confidence intervals (common for logistic regression); if <code>TRUE</code> , also scales the standard errors by the exponentiated coefficient, transforming them to the new scale
<code>ran_prefix</code>	a length-2 character vector specifying the strings to use as prefixes for self- (variance/standard deviation) and cross- (covariance/correlation) random effects terms
<code>conf.int</code>	whether to include a confidence interval
<code>conf.level</code>	confidence level for CI
<code>conf.method</code>	method for computing confidence intervals (see <code>lme4::confint.merMod</code> )
<code>ddf.method</code>	the method for computing the degrees of freedom and t-statistics (only applicable when using the <b>lmerTest</b> package: see <code>summary.lmerModLmerTest</code> )
<code>profile</code>	pre-computed profile object, for speed when using <code>conf.method="profile"</code>
<code>debug</code>	print debugging output?
<code>...</code>	Additional arguments (passed to <code>confint.merMod</code> for <code>tidy</code> ; <code>augment_columns</code> for <code>augment</code> ; ignored for <code>glance</code> )
<code>data</code>	original data this was fitted on; if not given this will attempt to be reconstructed
<code>newdata</code>	new data to be used for prediction; optional

**Details**

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with `NA` in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a second argument, at which point the augmented data will contain those rows (typically with `NA`s in place of the new columns). If the original data is not provided to `augment` and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

**Value**

All tidying methods return a `data.frame` without rownames. The structure depends on the method chosen.

`tidy` returns one row for each estimated effect, either with groups depending on the `effects` parameter. It contains the columns



group	the group within which the random effect is being estimated: "fixed" for fixed effects
level	level within group (NA except for modes)
term	term being estimated
estimate	estimated coefficient
std.error	standard error
statistic	t- or Z-statistic (NA for modes)
p.value	P-value computed from t-statistic (may be missing/NA)

augment returns one row for each original observation, with columns (each prepended by a .) added. Included are the columns

.fitted	predicted values
.resid	residuals
.fixed	predicted values with no random effects

Also added for "merMod" objects, but not for "mer" objects, are values from the response object within the model (of type lmResp, glmResp, nlsResp, etc). These include ".mu", ".offset", ".sqrtXwt", ".sqrttrwt", ".e

glance returns one row with the columns

sigma	the square root of the estimated residual variance
logLik	the data's log-likelihood under the model
AIC	the Akaike Information Criterion
BIC	the Bayesian Information Criterion
deviance	deviance

## See Also

[na.action](#)

## Examples

```
if (require("lme4")) {
  ## original model
  ## Not run:
  lmm1 <- lmer(Reaction ~ Days + (Days | Subject), sleepstudy)

## End(Not run)
## load stored object
load(system.file("extdata", "lme4_example.rda", package="broom.mixed"))
(tt <- tidy(lmm1))
tidy(lmm1, effects = "fixed")
tidy(lmm1, effects = "fixed", conf.int=TRUE)
tidy(lmm1, effects = "fixed", conf.int=TRUE, conf.method="profile")
## lmm1_prof <- profile(lmm1) # generated by extdata/runexamples
tidy(lmm1, conf.int=TRUE, conf.method="profile", profile=lmm1_prof)
## conditional modes (group-level deviations from population-level estimate)
```

```

tidy(lmm1, effects = "ran_vals", conf.int=TRUE)
## coefficients (group-level estimates)
(rcoef1 <- tidy(lmm1, effects = "ran_coefs"))
if (require(tidyr) && require(dplyr)) {
  ## reconstitute standard coefficient-by-level table
  spread(rcoef1, key=term, value=estimate)
  ## split ran_pars into type + term; sort fixed/sd/cor
  (tt %>% separate(term, c("type", "term"), sep="__", fill="left")
   %>% arrange(!is.na(type), desc(type)))
}
head(augment(lmm1, sleepstudy))
glance(lmm1)

glmm1 <- glmer(cbind(incidence, size - incidence) ~ period + (1 | herd),
              data = cbpp, family = binomial)
tidy(glmm1)
tidy(glmm1, exponentiate=TRUE)
tidy(glmm1, effects = "fixed")
## suppress warning about influence.merMod
head(suppressWarnings(augment(glmm1, cbpp)))
glance(glmm1)

startvec <- c(Asym = 200, xmid = 725, scal = 350)
nm1 <- nlmer(circumference ~ SSlogis(age, Asym, xmid, scal) ~ Asym|Tree,
            Orange, start = startvec)
## suppress warnings about var-cov matrix ...
op <- options(warn=-1)
tidy(nm1)
tidy(nm1, effects = "fixed")
options(op)
head(augment(nm1, Orange))
glance(nm1)
detach("package:lme4")
}
if (require("lmerTest")) {
  lmm1 <- lmer(Reaction ~ Days + (Days | Subject), sleepstudy)
  tidy(lmm1)
  glance(lmm1)
  detach("package:lmerTest") # clean up
}

```

**Description**

These methods tidy the coefficients of mixed effects models of the `lme` class from functions of the `nlme` package.

**Usage**

```
## S3 method for class 'lme'
tidy(
  x,
  effects = c("ran_pars", "fixed"),
  scales = NULL,
  conf.int = FALSE,
  conf.level = 0.95,
  ...
)

## S3 method for class 'lme'
augment(x, data = x$data, newdata, ...)

## S3 method for class 'lme'
glance(x, ...)

## S3 method for class 'gls'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'gls'
augment(x, data = nlme::getData(x), newdata, ...)
```

**Arguments**

<code>x</code>	An object of class <code>lme</code> , such as those from <code>lme</code> or <code>nlme</code>
<code>effects</code>	One or more of "ran_pars", "fixed", "ran_vals", and/or "ran_coefs".
<code>scales</code>	scales on which to report the variables: for random effects, the choices are "sd-cor" (standard deviations and correlations: the default if <code>scales</code> is <code>NULL</code> ) or "vcov" (variances and covariances). <code>NA</code> means no transformation, appropriate e.g. for fixed effects.
<code>conf.int</code>	whether to include a confidence interval
<code>conf.level</code>	confidence level for CI
<code>...</code>	extra arguments (not used)
<code>data</code>	original data this was fitted on; if not given this will attempt to be reconstructed
<code>newdata</code>	new data to be used for prediction; optional

**Details**

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with `NA` in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a second argument, at which point the augmented data will contain those rows (typically with `NA`s in place of the new columns). If the original data is not provided to augment and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

**Value**

All tidying methods return a `data.frame` without rownames. The structure depends on the method chosen.

`tidy` returns one row for each estimated effect, either random or fixed depending on the `effects` parameter. If `effects = "ran_vals"` (or `"ran_pars"`), it contains the columns

<code>group</code>	the group within which the random effect is being estimated
<code>level</code>	level within group
<code>term</code>	term being estimated
<code>estimate</code>	estimated coefficient

If `effects="fixed"`, `tidy` returns the columns

<code>term</code>	fixed term being estimated
<code>estimate</code>	estimate of fixed effect
<code>std.error</code>	standard error
<code>statistic</code>	t-statistic
<code>p.value</code>	P-value computed from t-statistic

`augment` returns one row for each original observation, with columns (each prepended by a `.`) added. Included are the columns

<code>.fitted</code>	predicted values
<code>.resid</code>	residuals
<code>.fixed</code>	predicted values with no random effects

`glance` returns one row with the columns

<code>sigma</code>	the square root of the estimated residual variance
<code>logLik</code>	the data's log-likelihood under the model
<code>AIC</code>	the Akaike Information Criterion
<code>BIC</code>	the Bayesian Information Criterion
<code>deviance</code>	returned as NA. To quote Brian Ripley on R-help <a href="https://stat.ethz.ch/pipermail/r-help/2006-May/104744.html">https://stat.ethz.ch/pipermail/r-help/2006-May/104744.html</a> , "McCullagh & Nelder (1989) would be the authoritative [sic] reference, but the 1982 first edition manages to use 'deviance' in three separate senses on one page."

**See Also**

[na.action](#)

**Examples**

```

if (require("nlme") && require("lme4")) {
  data("sleepstudy", package="lme4")
  ## original model
  ## Not run:
  lmm1 <- lme(Reaction ~ Days, random=~ Days|Subject, sleepstudy)

## End(Not run)
## load stored object
load(system.file("extdata","nlme_example.rda", package="broom.mixed"))
tidy(lmm1)
tidy(lmm1, effects = "fixed")
tidy(lmm1, conf.int = TRUE)
tidy(lmm1, effects = "ran_pars")
tidy(lmm1, effects = "ran_vals")
tidy(lmm1, effects = "ran_coefs")
head(augment(lmm1, sleepstudy))
glance(lmm1)

startvec <- c(Asym = 200, xmid = 725, scal = 350)
nm1 <- nlme(circumference ~ SSlogis(age, Asym, xmid, scal),
            data = Orange,
            fixed = Asym + xmid + scal ~1,
            random = Asym ~1,
            start = startvec)

tidy(nm1)
tidy(nm1, effects = "fixed")
head(augment(nm1, Orange))
glance(nm1)

gls1 <- gls(follicles ~ sin(2*pi*Time) + cos(2*pi*Time), Ovary,
            correlation = corAR1(form = ~ 1 | Mare))

tidy(gls1)
glance(gls1)
head(augment(gls1))
}

```

---

ranef.MCMCglmm

*Extract random effects from an MCMCglmm object*


---

**Description**

Function designed to extract the random effects from an MCMCglmm model object. Can either extract all samples from the random effects posteriors or return the posterior means.

**Usage**

```

## S3 method for class 'MCMCglmm'
ranef(object, use = c("all", "mean"), ...)

```

**Arguments**

object	An MCMCglmm model object to extract the effects from
use	A character string indicating whether to extract all posterior samples or the mean of the posteriors. Defaults to "all".
...	Arguments passed on to the worker function.

**Value**

A matrix of the fixed effects

**See Also**

[fixef.MCMCglmm](#)

**Examples**

```
## Not run:
# a simple MCMCglmm model
data(PlodiaPO)
m <- MCMCglmm(PO ~ 1, random= ~ FSfamily, data=PlodiaPO, pr=TRUE, verbose=FALSE)

# only extract average fixed effects
head(ranef(m, use = "mean"))

# histogram of posterior samples of fixed effects
hist(ranef(m)[1, ])
# matches the mean
rowMeans(ranef(m)[1:6, ])

## End(Not run)
```

---

ranefLevels	<i>Extract the levels of factors used for random effects in MCMCglmm objects</i>
-------------	--

---

**Description**

Extract the levels of factors used for random effects in MCMCglmm objects

**Usage**

```
ranefLevels(object, data, ...)
```

**Arguments**

object	An MCMCglmm model object
data	The dataset used for the model
...	Not currently used

**See Also**

[paramNamesMCMCglmm](#), [ranef.MCMCglmm](#)

**Examples**

```
## Not run:
# a simple MCMCglmm model
data(PlodiaPO)
m <- MCMCglmm(PO ~ 1, random = ~ FSfamily, data = PlodiaPO, verbose=FALSE)

# extract the random effects levels
ranefLevels(m, PlodiaPO)

## End(Not run)
```

---

rstanarm\_tidiere

*Tidying methods for an rstanarm model*


---

**Description**

These methods tidy the estimates from [stanreg-objects](#) (fitted model objects from the **rstanarm** package) into a summary.

**Usage**

```
## S3 method for class 'stanreg'
tidy(
  x,
  effects = "fixed",
  conf.int = FALSE,
  conf.level = 0.9,
  conf.method = c("quantile", "HPDinterval"),
  ...
)

## S3 method for class 'stanreg'
glance(x, loaic = FALSE, ...)
```

**Arguments**

x	Fitted model object from the <b>rstanarm</b> package. See <a href="#">stanreg-objects</a> .
effects	A character vector including one or more of "fixed", "ran_vals", or "ran_pars". See the Value section for details.
conf.int	If TRUE columns for the lower (conf.low) and upper (conf.high) bounds of the 100*prob% posterior uncertainty intervals are included. See <a href="#">posterior_interval.stanreg</a> for details.
conf.level	See <a href="#">posterior_interval.stanreg</a> .

conf.method	method for computing confidence intervals ("quantile" or "HPDinterval")
...	For glance, if looic=TRUE, optional arguments to <a href="#">loo.stanreg</a> .
looic	Should the LOO Information Criterion (and related info) be included? See <a href="#">loo.stanfit</a> for details. (This can be slow for models fit to large datasets.)

## Value

All tidying methods return a `data.frame` without rownames. The structure depends on the method chosen.

When `effects="fixed"` (the default), `tidy.stanreg` returns one row for each coefficient, with three columns:

term	The name of the corresponding term in the model.
estimate	A point estimate of the coefficient (posterior median).
std.error	A standard error for the point estimate based on <code>mad</code> . See the <i>Uncertainty estimates</i> section in <a href="#">print.stanreg</a> for more details.

For models with group-specific parameters (e.g., models fit with `stan_glmmer`), setting `effects="ran_vals"` selects the group-level parameters instead of the non-varying regression coefficients. Additional columns are added indicating the level and group. Specifying `effects="ran_pars"` selects the standard deviations and (for certain models) correlations of the group-level parameters.

Setting `effects="auxiliary"` will select parameters other than those included by the other options. The particular parameters depend on which **rstanarm** modeling function was used to fit the model. For example, for models fit using `stan_glm` the overdispersion parameter is included if `effects="aux"`, for `stan_lm` the auxiliary parameters include the residual SD,  $R^2$ , and  $\log(\text{fit\_ratio})$ , etc.

`glance` returns one row with the columns

algorithm	The algorithm used to fit the model.
pss	The posterior sample size (except for models fit using optimization).
nobs	The number of observations used to fit the model.
sigma	The square root of the estimated residual variance, if applicable. If not applicable (e.g., for binomial GLMs), sigma will be given the value 1 in the returned object.

If `looic=TRUE`, then the following additional columns are also included:

looic	The LOO Information Criterion.
elpd_loo	The expected log predictive density ( $\text{elpd\_loo} = -2 * \text{looic}$ ).
p_loo	The effective number of parameters.

## See Also

[summary, stanfit-method](#)



## Examples

```

if (require("rstanarm")) {
  ## Not run:
  #'   ## original model
  fit <- stan_glmer(mpg ~ wt + (1|cyl) + (1+wt|gear), data = mtcars,
                  iter = 300, chains = 2)

  ## End(Not run)
  ## load example data
  fit <- readRDS(system.file("extdata", "rstanarm_example.rds", package="broom.mixed"))

  # non-varying ("population") parameters
  tidy(fit, conf.int = TRUE, prob = 0.5)
  tidy(fit, conf.int = TRUE, conf.method = "HPDinterval", prob = 0.5)

  # hierarchical sd & correlation parameters
  tidy(fit, effects = "ran_pars")

  # group-specific deviations from "population" parameters
  tidy(fit, effects = "ran_vals")

  # glance method
  glance(fit)
  ## Not run:
  glance(fit, looic = TRUE, cores = 1)

  ## End(Not run)
} ## if require("rstanarm")

```

---

 stdranef

*Extract standard deviation of "random" effects from an MCMCg1mm object*

---

## Description

Function designed to extract the standard deviation of the random effects from an MCMCg1mm model object. Note that this is not the same as the posterior distribution of (co)variance matrices. It is based on the posterior distribution of the random effects. This also means it requires `pr=TRUE` to be set in the model for the information to be saved. Can optionally return standard deviation of random effects after back transforming to the response metric. Currently probabilities, but only for ordinal family models (`family="ordinal"`).

## Usage

```
stdranef(object, which, type = c("lp", "response"), ...)
```

**Arguments**

object	An MCMCglmm model object to extract the effects from
which	A list of random effects to extract or their numeric positions. If there are two numbers in a list, effects are simultaneous.
type	A character string indicating whether to calculate the standard deviation on the linear predictor metric, 'lp' or response, 'response'.
...	Not currently used.

**Value**

A list of class postMCMCglmmRE with means (M) and individual estimates (Data)

**Examples**

```
## Not run:
# a simple MCMCglmm model
data(PlodiaPO)
PlodiaPO <- within(PlodiaPO, {
  PO2 <- cut(PO, quantile(PO, c(0, .33, .66, 1)))
  plate <- factor(plate)
})

m <- MCMCglmm(PO2 ~ 1, random = ~ FSfamily + plate,
  family = "ordinal", data = PlodiaPO,
  prior = list(
    R = list(V = 1, fix = 1),
    G = list(
      G1 = list(V = 1, nu = .002),
      G2 = list(V = 1, nu = .002)
    )
  ), verbose=FALSE, thin=1, pr=TRUE)

# summary of the model
summary(m)

# examples of extracting standard deviations of
# different random effects on the linear predictor metric
# or after transformation to probabilities (only for ordinal)
stdranef(m, which = list(1), type = "lp")
stdranef(m, which = list(2), type = "lp")
stdranef(m, which = list(1, 2, c(1, 2)), type = "lp")
stdranef(m, type = "lp")

## error because no 3rd random effect
##stdranef(m, which = list(1, 2, 3), type = "lp")

stdranef(m, which = list("FSfamily", "plate"), type = "lp")

# mean standard deviations on the probability metric
# also the full distributions, if desired in the Data slot.
res <- stdranef(m, type = "response")
```

```

res$M # means
hist(res$Data$FSfamily[, 1]) # histogram

## End(Not run)

```

---

tidy.MCMCglmm

*Tidying methods for MCMC (Stan, JAGS, etc.) fits*


---

## Description

Tidying methods for MCMC (Stan, JAGS, etc.) fits

## Usage

```

## S3 method for class 'MCMCglmm'
tidy(x, effects = c("fixed", "ran_pars"), scales = NULL, ...)

tidyMCMC(
  x,
  pars,
  robust = FALSE,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = c("quantile", "HPDinterval"),
  drop.pars = c("lp__", "deviance"),
  rhat = FALSE,
  ess = FALSE,
  index = FALSE,
  ...
)

## S3 method for class 'rjags'
tidy(
  x,
  robust = FALSE,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = "quantile",
  ...
)

## S3 method for class 'stanfit'
tidy(
  x,
  pars,
  robust = FALSE,
  conf.int = FALSE,

```

```

    conf.level = 0.95,
    conf.method = c("quantile", "HPDinterval"),
    drop.pars = c("lp__", "deviance"),
    rhat = FALSE,
    ess = FALSE,
    index = FALSE,
    ...
  )

## S3 method for class 'mcmc'
tidy(
  x,
  pars,
  robust = FALSE,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = c("quantile", "HPDinterval"),
  drop.pars = c("lp__", "deviance"),
  rhat = FALSE,
  ess = FALSE,
  index = FALSE,
  ...
)

## S3 method for class 'mcmc.list'
tidy(
  x,
  pars,
  robust = FALSE,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = c("quantile", "HPDinterval"),
  drop.pars = c("lp__", "deviance"),
  rhat = FALSE,
  ess = FALSE,
  index = FALSE,
  ...
)

```

### Arguments

x	a model fit to be converted to a data frame
effects	which effects (fixed, random, etc.) to return
scales	scales on which to report results
...	mostly unused; for tidy.MCMCglmm, these represent options passed through to tidy.mcmc (e.g. robust, conf.int, conf.method, ...)
pars	(character) specification of which parameters to include

robust	use mean and standard deviation (if FALSE) or median and mean absolute deviation (if TRUE) to compute point estimates and uncertainty?
conf.int	(logical) include confidence interval?
conf.level	probability level for CI
conf.method	method for computing confidence intervals ("quantile" or "HPDinterval")
drop.pars	Parameters not to include in the output (such as log-probability information)
rhat, ess	(logical) include Rhat and/or effective sample size estimates?
index	Add index column, remove index from term. For example, term a[13] becomes term a and index 13.

### Examples

```

if (require("MCMCglmm")) {
  ## original model
  ## Not run:
  mm0 <- MCMCglmm(Reaction ~ Days,
                 random = ~Subject, data = sleepstudy,
                 nitt=4000,
                 pr = TRUE
                 )

  ## End(Not run)
  ## load stored object
  load(system.file("extdata", "MCMCglmm_example.rda",
                  package="broom.mixed"))

  tidy(mm0)
  tidy(mm1)
  tidy(mm2)
  tail(tidy(mm0, effects="ran_vals"))
}

# Using example from "RStan Getting Started"
# https://github.com/stan-dev/rstan/wiki/RStan-Getting-Started

model_file <- system.file("extdata", "8schools.stan", package = "broom.mixed")
schools_dat <- list(J = 8,
                  y = c(28, 8, -3, 7, -1, 1, 18, 12),
                  sigma = c(15, 10, 16, 11, 9, 11, 10, 18))

## original model
## Not run:
set.seed(2015)
rstan_example <- rstan::stan(file = model_file, data = schools_dat,
                           iter = 1000, chains = 2, save_dso = FALSE)

## End(Not run)
if (require(rstan)) {
  ## load stored object
  rstan_example <- readRDS(system.file("extdata", "rstan_example.rds", package = "broom.mixed"))
  tidy(rstan_example)
  tidy(rstan_example, conf.int = TRUE, pars = "theta")
}

```

```

td_mean <- tidy(rstan_example, conf.int = TRUE)
td_median <- tidy(rstan_example, conf.int = TRUE, robust = TRUE)

if (require(dplyr) && require(ggplot2)) {
  tds <- (dplyr::bind_rows(list(mean=td_mean, median=td_median), .id="method")
    %>% mutate(type=ifelse(grepl("^theta",term),"theta",
      ifelse(grepl("^eta",term),"eta",
        "other"))))
  )

  ggplot(tds, aes(estimate, term)) +
    geom_errorbarh(aes(xmin = conf.low, xmax = conf.high),height=0) +
    geom_point(aes(color = method))+
    facet_wrap(~type,scale="free",ncol=1)
} ## require(dplyr,ggplot2)
} ## require(rstan)
if (require(R2jags)) {
  ## see help("jags",package="R2jags")
  ## and example("jags",package="R2jags")
  ## for details
  ## load stored object
R2jags_example <- readRDS(system.file("extdata", "R2jags_example.rds", package = "broom.mixed"))
tidy(R2jags_example)
tidy(R2jags_example, conf.int=TRUE, conf.method="quantile")
}

```

tidy.TMB

*Tidying methods for TMB models***Description**

Tidying methods for TMB models

**Usage**

```

## S3 method for class 'TMB'
tidy(
  x,
  effects = c("fixed", "random"),
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = c("wald", "uniroot", "profile"),
  ...
)

```

**Arguments**

x An object of class TMB (you may need to use `class(obj) <- "TMB"` on your results from TMB)

effects	which effects should be returned?
conf.int	whether to include a confidence interval
conf.level	confidence level for CI
conf.method	method for computing confidence intervals
...	additional arguments passed to confint function (tmbroot, tmbprofile)

### Examples

```
if (require("TMB")) {  
  ## Not run:  
  runExample("simple", thisR=TRUE)  
  class(obj) <- "TMB"  
  tidy(obj, conf.int=TRUE, conf.method="wald")  
  
  ## End(Not run)  
  ## Not run: tidy(obj, conf.int=TRUE, conf.method="uniroot")  
  ## Not run: tidy(obj, conf.int=TRUE, conf.method="profile")  
}
```

---

unrowname	<i>strip rownames from an object</i>
-----------	--------------------------------------

---

### Description

strip rownames from an object

### Usage

```
unrowname(x)
```

### Arguments

x	a data frame
---	--------------

# Index

augment.brmsfit (brms\_tidiers), 3  
augment.glmmadmb (glmmadmb\_tidiers), 8  
augment.glmmTMB (glmmTMB\_tidiers), 11  
augment.gls (nlme\_tidiers), 18  
augment.lme (nlme\_tidiers), 18  
augment.merMod (lme4\_tidiers), 15  
augment.ranef.mer, 2

brms, 5  
brms\_tidiers, 3

coef.merMod, 16  
compact, 6  
confint.merMod, 9, 12

fixef.MCMCglmm, 6, 22

gamlss\_tidiers, 7  
glance.brmsfit (brms\_tidiers), 3  
glance.glmmadmb (glmmadmb\_tidiers), 8  
glance.glmmTMB (glmmTMB\_tidiers), 11  
glance.lme (nlme\_tidiers), 18  
glance.merMod (lme4\_tidiers), 15  
glance.stanreg (rstanarm\_tidiers), 23  
glmmADMB\_tidiers (glmmadmb\_tidiers), 8  
glmmadmb\_tidiers, 8  
glmmTMB\_tidiers, 11

insert\_NAs, 14

lme4\_tidiers, 15  
loo.stanfit, 4, 24  
loo.stanreg, 24

mad, 24  
mcmc\_tidiers (tidy.MCMCglmm), 27

na.action, 10, 13, 17, 20  
nlme\_tidiers, 18

paramNamesMCMCglmm, 23

posterior\_interval.stanreg, 23  
print.stanreg, 24

ranef.MCMCglmm, 7, 21, 23  
ranefLevels, 22  
rstanarm\_tidiers, 23

stan\_glm, 24  
stan\_glmmer, 24  
stan\_lm, 24  
stdranef, 25  
summary.lmerModLmerTest, 16

tidy.brmsfit (brms\_tidiers), 3  
tidy.gamlss (gamlss\_tidiers), 7  
tidy.glmmadmb (glmmadmb\_tidiers), 8  
tidy.glmmTMB (glmmTMB\_tidiers), 11  
tidy.gls (nlme\_tidiers), 18  
tidy.lme (nlme\_tidiers), 18  
tidy.mcmc (tidy.MCMCglmm), 27  
tidy.MCMCglmm, 27  
tidy.merMod (lme4\_tidiers), 15  
tidy.rjags (tidy.MCMCglmm), 27  
tidy.rlmerMod (lme4\_tidiers), 15  
tidy.stanfit (tidy.MCMCglmm), 27  
tidy.stanreg (rstanarm\_tidiers), 23  
tidy.TMB, 30  
tidyMCMC (tidy.MCMCglmm), 27

unrowname, 31