

Package ‘mkssd’

February 20, 2015

Version 1.1

Date 2011-08-04

Title Efficient multi-level k-circulant supersaturated designs

Author B N Mandal <mandal.stat@gmail.com>

Maintainer B N Mandal <mandal.stat@gmail.com>

Depends R(>= 2.13.0)

Description mkssd is a package that generates efficient balanced non-aliased multi-level k-circulant supersaturated designs by interchanging the elements of the generator vector. The package tries to generate a supersaturated design that has chisquare efficiency more than user specified efficiency level (mef). The package also displays the progress of generation of an efficient multi-level k-circulant design through a progress bar. The progress of 100% means that one full round of interchange is completed. More than one full round (typically 4-5 rounds) of interchange may be required for larger designs.

License GPL (>= 2)

Repository CRAN

Date/Publication 2011-08-05 08:18:15

NeedsCompilation no

R topics documented:

mkssd 2

Index 4

mkssd

*Efficient multi-level k-circulant supersaturated designs***Description**

mkssd is a package that generates efficient balanced non-aliased multi-level k-circulant supersaturated designs by interchanging the elements of the generator vector. The package tries to generate a supersaturated design that has chisquare efficiency more than user specified efficiency level (mef). The package also displays the progress of generation of an efficient multi-level k-circulant design through a progress bar. The progress of 100 per cent means that one full round of interchange is completed. More than one full round (typically 4-5 rounds) of interchange may be required for larger designs.

Usage

```
mkssd(m, n, q, k, mef)
```

Arguments

m	number of factors
n	number of runs
q	number of levels
k	order of circulation
mef	minimum efficiency required, should be between 0 to 1

Value

A list containing following items

m	number of factors
n	number of runs
q	number of levels
k	order of circulation
generator.vector	generator vector
design	design
efficiency	chi-square efficiency
max.chisq	maximum chi-square
time.taken	time taken to generate the design
number.aliased.pairs	number of aliased pairs

Author(s)

B N Mandal

References

B. N. Mandal, V.K. Gupta and Rajender Parsad. (2011). Construction of Efficient Multi-level k-circulant Supersaturated Designs, article submitted to Communications in Statistics-Theory and Methods

Examples

`mkssd(10, 6, 3, 2, 1)`

Index

*Topic **efficiency**

mkssd, [2](#)

*Topic **k-circulant**

mkssd, [2](#)

*Topic **mkssd**

mkssd, [2](#)

*Topic **multi-level**

mkssd, [2](#)

*Topic **supersaturated design**

mkssd, [2](#)

mkssd, [2](#)